

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| L2    | 865  | ("NISP" network adj interface adj selection adj policy)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/08/10<br>17:46 |
| L3    | 80   | network adj "DNA"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/08/10<br>17:46 |
| L4    | 109  | (determin\$4 configur\$3 identify\$3) with (short\$3 optimal economical) adj (path destination route) same end adj (computer terminal device node) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/08/10<br>17:46 |
| L5    | 19   | 709/223.ccls. and (network near5 (home enterprise public)and zero adj configuration)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/08/10<br>17:46 |
| L6    | 1267 | network adj attribute  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/08/10<br>17:46 |
| L7    | 643  | L6 and (@rlad<"20040206" @ad<"20040206")   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/08/10<br>17:46 |
| L8    | 106  | ("NISP" network adj interface adj selection adj policy) and predetermined  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/08/10<br>17:47 |
| L9    | 31   | L8 and (@rlad<"20040206" @ad<"20040206")   | US-PGPUB;<br>USPAT  | OR               | ON      | 2011/08/10<br>17:47 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| L10 | 0    | 709/224.ccls. and ("NIS P" network adj interface adj selection adj policy)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/08/10<br>17:47 |
| L11 | 1    | "455"/\$.ccls. and ("NIS P" network adj interface adj selection adj policy)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/08/10<br>17:47 |
| S1  | 17   | 709/223.ccls. and (network near5 (home enterprise public)and zero adj configuration)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>14:53 |
| S2  | 91   | (determin\$4 configur\$3 identify\$3) with (short\$3 optimal economical) adj (path destination route) same end adj (computer terminal device node) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>14:57 |
| S3  | 0    | (simulat\$3 generat\$3 build \$3) with network adj model with network adj (attribute species "DNA")  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>14:59 |
| S4  | 1    | (simulat\$3 generat\$3 build \$3) with network adj model same network adj (attribute species "DNA")  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>14:59 |
| S5  | 1    | (simulat\$3 generat\$3 build \$3) with network adj (model infrastructure architecture) same network adj (attribute species "DNA")                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:00 |
| S6  | 1129 | network adj attribute  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:00 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| S7  | 34  | network adj species   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:01 |
| S8  | 72  | network adj "DNA"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:01 |
| S9  | 1   | S6 and S7 and S8  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:01 |
| S10 | 626 | S6 and (@rlad<"20040206"<br>@ad<"20040206")   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:02 |
| S11 | 0   | S10 and S7  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:02 |
| S12 | 0   | S10 and S8  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:02 |
| S13 | 33  | S10 and network adj (home<br>public enterprise)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:03 |
| S14 | 275 | (configur\$3 initializ\$3<br>generat\$3) with connection<br>same network adj (home<br>public enterprise work) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:16 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| S15 | 165 | S14 and<br>(@rlad<"20040206"<br>@ad<"20040206")                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:16 |
| S16 | 1   | S15 and security adj<br>(attribute setting propert\$3)                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:17 |
| S17 | 1   | S8 and S9   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:18 |
| S18 | 45  | S8 and (@rlad<"20040206"<br>@ad<"20040206")                                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:18 |
| S19 | 2   | "20020178246".pn.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>15:32 |
| S31 | 841 | ("NISP" network adj<br>interface adj selection adj<br>policy)                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:33 |
| S32 | 537 | S31 and<br>(@rlad<"20040206"<br>@ad<"20040206")                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:33 |
| S33 | 105 | ("NISP" network adj<br>interface adj selection adj<br>policy) and predetermined | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:35 |

|     |    |  |   |    |    |                     |
|-----|----|--|---|----|----|---------------------|
| S34 | 57 | S33 and<br>(@rlad<"20040206"<br>@ad<"20040206")                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:35 |
| S35 | 31 | S33 and<br>(@rlad<"20040206"<br>@ad<"20040206")                          | US-PGPUB;<br>USPAT  | OR | ON | 2011/02/17<br>15:39 |
| S36 | 2  | "20020059434".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:43 |
| S37 | 2  | "5953312".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:47 |
| S38 | 2  | "6400681".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:49 |
| S39 | 2  | "6047331".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:51 |
| S40 | 2  | "6404769".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:57 |
| S41 | 2  | "6292464".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:58 |
| S42 | 5  | S33 and<br>(@rlad<"20040206"<br>@ad<"20040206") and<br>(mobile wireless) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>15:59 |

|     |    |   |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| S43 | 0  | 709/224.ccls. and ("NISP"<br>network adj interface adj<br>selection adj policy)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>16:00 |
| S44 | 0  | 709/225.ccls. and ("NISP"<br>network adj interface adj<br>selection adj policy)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>16:01 |
| S45 | 2  | "709"/\$.ccls. and ("NISP"<br>network adj interface adj<br>selection adj policy)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>16:01 |
| S46 | 1  | "455"/\$.ccls. and ("NISP"<br>network adj interface adj<br>selection adj policy)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/17<br>16:02 |
| S47 | 2  | "20050177631".pn.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/19<br>09:57 |
| S48 | 2  | "20020178246".pn.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/02/19<br>11:29 |
| S50 | 33 | ("20010037384"  <br>"20020091819"  <br>"20020124094"  <br>"20020176366"  <br>"20020178246"  <br>"20030074359"  <br>"20030074359"  <br>"20030074440"  <br>"20030140142"  <br>"20030212684"  <br>"20040006614"  <br>"20040068582"  <br>"20040095887"  <br>"20050144314"  <br>"20050149948"  <br>"20050257267"  <br>"20090086644"   "5774669"<br>  "6040834"   "6141690" | US-PGPUB;<br>USPAT  | OR | ON | 2011/02/19<br>12:55 |

|     |   |  |   |    |    |                     |
|-----|---|--|---|----|----|---------------------|
|     |   | "6298044"   "6363411"  <br>"6397381"   "6434613"  <br>"6556659"   "6675209"  <br>"6708137"   "6982960"  <br>"7120680"   "7159125"  <br>"7209964"   "7257560"  <br>"7277393"   "7448070").PN. |   |    |    |                     |
| S54 | 0 | "20050177631".pn. and<br>computer\$1storage adj<br>medium  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/08/09<br>10:43 |
| S55 | 1 | "20050177631".pn. and<br>computer\$ near2 storage<br>near2 medium  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/08/09<br>10:43 |

### EAST Search History (I nterference)

| Ref # | Hits | Search Query  | DBs                         | Default Operator | Plurals | Time Stamp       |
|-------|------|---|-----------------------------|------------------|---------|------------------|
| S20   | 78   | BAHL with PRADEEP.inv.  | US-PGPUB;<br>USPAT;<br>UPAD | OR               | ON      | 2010/10/06 14:37 |
| S21   | 33   | CORBETT with<br>CHRISTOPHER.inv.  | US-PGPUB;<br>USPAT;<br>UPAD | OR               | ON      | 2010/10/06 14:38 |
| S22   | 5    | KHAKI with MOHAMED.<br>inv.   | US-PGPUB;<br>USPAT;<br>UPAD | OR               | ON      | 2010/10/06 14:38 |
| S23   | 1    | S20 and S21 and S22   | US-PGPUB;<br>USPAT;<br>UPAD | OR               | ON      | 2010/10/06 14:38 |
| S24   | 9    | CORBETT with<br>CHRISTOPHER.inv. and<br>(network near4 species<br>network near5 "DNA"<br>security network adj<br>attribute) | US-PGPUB;<br>USPAT;<br>UPAD | OR               | ON      | 2010/10/06 14:41 |
| S25   | 60   | BAHL with PRADEEP.inv.<br>and (network near4<br>species network near5<br>"DNA" security network<br>adj attribute)           | US-PGPUB;<br>USPAT;<br>UPAD | OR               | ON      | 2010/10/06 14:42 |

|     |       |   |                             |    |    |                  |
|-----|-------|---|-----------------------------|----|----|------------------|
| S26 | 0     | BAHL with PRADEEP.inv.<br>same (network near4<br>species network near5<br>"DNA" security network<br>adj attribute)          | US-PGPUB;<br>USPAT;<br>UPAD | OR | ON | 2010/10/06 14:43 |
| S27 | 79    | Arun with Ayyagari.inv.   | US-PGPUB;<br>USPAT;<br>UPAD | OR | ON | 2010/10/06 14:47 |
| S28 | 7     | Arun with Ayyagari.inv.<br>and (network near5<br>(home enterprise public)<br>and zero adj<br>configuration)                 | US-PGPUB;<br>USPAT;<br>UPAD | OR | ON | 2010/10/06 14:50 |
| S29 | 11318 | 709/223.ccls.   | US-PGPUB;<br>USPAT;<br>UPAD | OR | ON | 2010/10/06 14:52 |
| S30 | 17    | S29 and (network near5<br>(home enterprise public)<br>and zero adj<br>configuration)  | US-PGPUB;<br>USPAT;<br>UPAD | OR | ON | 2010/10/06 14:52 |
| S51 | 79    | BAHL with PRADEEP.inv.  | US-PGPUB;<br>USPAT;<br>UPAD | OR | ON | 2011/02/23 11:51 |
| S52 | 9     | CORBETT with<br>CHRISTOPHER.inv. and<br>(network near4 species<br>network near5 "DNA"<br>security network adj<br>attribute) | US-PGPUB;<br>USPAT;<br>UPAD | OR | ON | 2011/02/23 11:51 |
| S53 | 61    | BAHL with PRADEEP.inv.<br>and (network near4<br>species network near5<br>"DNA" security network<br>adj attribute)           | US-PGPUB;<br>USPAT;<br>UPAD | OR | ON | 2011/02/23 11:51 |

8/ 10/ 2011 5:48:12 PM

C:\ Documents and Settings\ thussain1\ My Documents\ EAST\ Workspaces\ 10773681.wsp